

projection with silicate walls (ie Rhizosolenia)




"main body" separated into sections (sections may be equal or unequal) (ie Guinardia)




an organelle containing chlorophyll for photosynthetic processes

bilaterally symmetrical (ie Asterionellopsis)




radially symmetrical (ie Coscinodiscus)




an organelle that houses DNA and chromosomes

pennate	process
centric	segmented
nucleus	chloroplasts

medial grove between two similar parts of an organism (ie Pleurosigma) series of organisms linked together (ie Odontella)




chain



raphe

a small, light-sensitive patch of pigment (ie Pavlova)




segments of an organism linked together to form a series of steps (ie Pseudo-nitzschia) medial depression (ie Ceratium)




armor composed of cellulose only visible through an electron scanning microscope (ie Protoperidinium)





chain	raphe
trough	eyespot
plated	stepped chain

whip-like protrusions used for locomotion (ie Karenia brevis)




mouth used to engulf food (ie Pfiesteria)




peduncle

divided into two lobes (ie Akashiwo sanguinea)




multiple membrane housing some have scales (ie Prorocentrum)




solid structures projecting out from the surface of the organism.

(ie Chaetoceros)



silicate house "little glass house" (ie Coscinodiscus)



theca	flagella
spine(s)	peduncle
frustule	bilobed